


































































## N120 Port System for Nikon System













































LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Nikon AF Micro 60mm f/2.8D		 <b>18211</b> Compact port base		 <b>18301</b> Compact port 30  <b>18722</b> Insect eye port adaptor N60	 INON UFL-MR130 EFS60 <i>(***This is not a NAUTICAM product)</i>
Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	 <b>19121</b> N60G-F	 <b>18211</b> Compact port base		 <b>18701</b> Macro port 60  <b>18301</b> Compact port 30	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR	 <b>19129</b> N85VR-F	 <b>18211</b> Compact port base		 <b>18301</b> Compact port 30	
Nikon AF Micro 105mm f/2.8D		 <b>18211</b> Compact port base	 <b>18540</b> Compact port extension 40  <b>18520</b> Compact port extension 20	 <b>18301</b> Compact port 30  <b>18302</b> Compact port 50	
Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED	 <b>19122</b> N105VR-F	 <b>18211</b> Compact port base	 <b>21130</b> Extension ring 30 with lock	 <b>18702</b> Macro port 87  <b>18701</b> Macro port 60  <b>18302</b> Compact port 50	 <b>25101</b> M67 Flip diopter holder for M67 macro ports  <b>25101</b> M67 Flip diopter holder for M67 macro ports
Sigma 50mm F2.8 EX DG Macro		 <b>18211</b> Compact port base	 <b>18520</b> Compact port extension 20	 <b>18303</b> Compact port 15	
Sigma 70mm F2.8 EX DG Macro		 <b>18211</b> Compact port base	 <b>18550</b> Compact port extension 50  <b>18530</b> Compact port extension 30	 <b>18301</b> Compact port 30  <b>18302</b> Compact port 50	

MACRO

## N120 Port System for Nikon System









































LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR	 <b>19123</b> N1855VR-Z	 <b>18211</b> Compact port base		 <b>18301</b> Compact port 30	
Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II	 <b>19124</b> N1855II-Z	 <b>18211</b> Compact port base		 <b>18301</b> Compact port 30	
Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	 <b>19139</b> N2485-Z		 <b>21150</b> Extension ring 50 with lock  <b>21160</b> Extension ring 60 with lock  <b>21130</b> Extension ring 30 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port  <b>23211</b> 8.5" white balance acrylic dome port	
STANDARD / ZOOM Sigma 17-70mm F2.8-4.5 DC Macro HSM	 <b>19132</b> SN1770-Z		 <b>21150</b> Extension ring 50 with lock  <b>21170</b> Extension ring 70 with lock  <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port  <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock  <b>21170</b> Extension ring 70 with lock  <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port  <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21140</b> Extension ring 40 with lock  <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM	 <b>19133</b> SN1770OS-Z				
Sigma 17-70mm F2.8-4 DC Macro OS HSM C	 <b>19140</b> SN1770OSC-Z				

## N120 Port System for Nikon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED	 <b>19135</b> N1024-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF DX Fisheye 10.5mm f/2.8G ED	 <b>19137</b> N10.5-F		 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED	 <b>19125</b> N1224-Z		 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Nikon AF-S NIKKOR 14-24mm f/2.8G ED	 <b>19131</b> N1424-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21155</b> Extension ring 55 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Nikon AF Fisheye 16mm f/2.8D				 <b>18802</b> 8.5" acrylic dome port	
				 <b>18803</b> 4.33" acrylic dome port	
Nikon AF-S NIKKOR 16-35mm f/4G ED VR	 <b>19138</b> N1635-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Nikon AF-S 17-35mm f/2.8D IF-ED	 <b>19130</b> N1735-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21140</b> Extension ring 40 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	 <b>19141</b> N1835-Z		 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21140</b> Extension ring 40 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 8-16mm F4.5-5.6 DC HSM	 <b>19136</b> SN816-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21130</b> Extension ring 30 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 10mm F2.8 EX DC HSM Fisheye			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18803</b> 4.33" acrylic dome port	


WIDE/ZOOM

## N120 Port System for Nikon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Sigma 10-20mm F4-5.6 EX DC HSM	 <b>19126</b> SN1020-Z		 <b>21150</b> Extension ring 50 with lock  <b>21160</b> Extension ring 60 with lock  <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port  <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 15mm F2.8 EX DG Diagonal Fisheye			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port  <b>18803</b> 4.33" acrylic dome port	
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	 <b>19127</b> TN1017-Z		 <b>21120</b> Extension ring 20 with lock  <b>21120</b> Extension ring 20 with lock	 <b>18804</b> 4.33" acrylic dome port For Tokina AT-X 107 AF DX Fisheye  <b>18802</b> 8.5" acrylic dome port  <b>18803</b> 4.33" acrylic dome port  <b>23211</b> 8.5" white balance acrylic dome port	
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	 <b>19227</b> TN1017-Z+1.4		 <b>21120</b> Extension ring 20 with lock  <b>21140</b> Extension ring 40 with lock  <b>21140</b> Extension ring 40 with lock  <b>21120</b> Extension ring 20 with lock	 <b>18804</b> 4.33" acrylic dome port For Tokina AT-X 107 AF DX Fisheye  <b>18802</b> 8.5" acrylic dome port  <b>18803</b> 4.33" acrylic dome port  <b>23211</b> 8.5" white balance acrylic dome port	
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	 <b>19128</b> TN1116-Z		 <b>21150</b> Extension ring 50 with lock  <b>21170</b> Extension ring 70 with lock  <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port  <b>23211</b> 8.5" white balance acrylic dome port	
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	 <b>19134</b> TN1224-Z		 <b>21150</b> Extension ring 50 with lock  <b>21170</b> Extension ring 70 with lock  <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18801</b> 6" acrylic wide angle port  <b>23211</b> 8.5" white balance acrylic dome port	

WIDE/ZOOM







































## N120 Port System for Canon System



MACRO





















































## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 18-55mm f/3.5-5.6 IS	 <b>19532</b> C1855IS-Z	 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Canon EF-S 18-135mm f/3.5-5.6 IS	 <b>19524</b> C18135IS-Z		 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24mm f/1.4L II USM			 <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Canon EF 24-70mm f/2.8L II USM	 <b>19543</b> C2470II-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24-70mm f/4L IS USM	 <b>19544</b> C2470f4-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24-105mm f/4L IS USM	 <b>19545</b> C24105-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4.5 DC Macro	 <b>19533</b> SC1770-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21110</b> Extension ring 10 with screws	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM	 <b>19534</b> SC1770OS-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM   C	 <b>19540</b> SC1770OSC-Z		 <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18801</b> 6" acrylic wide angle port	










































STANDARD/ZOOM

## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF 8-15mm f/4L Fisheye USM	 <b>19537</b> C815-Z		 <b>21130</b> Extension ring 30 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21130</b> Extension ring 30 with lock	 <b>18803</b> 4.33" acrylic dome port	
Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	 <b>19541</b> C815-F		 <b>21230</b> Extension ring 30 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF-S 10-22mm f/3.5-4.5 USM	 <b>19538</b> C815-Z+1.4		 <b>21150</b> Extension ring 50 with lock	 <b>18803</b> 4.33" acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 15mm f/2.8 Fisheye	 <b>19525</b> C1022-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 16-35mm f/2.8L II USM	 <b>19527</b> C1635II-Z		 <b>21110</b> Extension ring 10 with screws	 <b>18803</b> 4.33" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 17-40mm f/4L USM	 <b>19542</b> C1635II-F		 <b>21170</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21140</b> Extension ring 60 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21270</b> Extension ring 70 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	
Sigma 8-16mm F4.5-5.6 DC HSM	 <b>19528</b> C1740-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21130</b> Extension ring 30 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 10mm F2.8 EX DC HSM Fisheye	 <b>19536</b> SC816-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21130</b> Extension ring 30 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 10mm F2.8 EX DC HSM Fisheye			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18803</b> 4.33" acrylic dome port	

WIDE/ZOOM






































## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Sigma 10-20mm F4-5.6 EX DC HSM	 <b>19535</b> SC1020-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Sigma 15mm F2.8 EX DG Diagonal Fisheye			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21110</b> Extension ring 10 with screws	 <b>18803</b> 4.33" acrylic dome port	
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	 <b>19529</b> TC1017-Z		 <b>21120</b> Extension ring 20 with lock	 <b>18804</b> 4.33" acrylic dome port For Tokina 10-17 Lens	
			 <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18803</b> 4.33" acrylic dome port	
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	 <b>19629</b> TC1017-Z+1.4		 <b>21120</b> Extension ring 20 with lock	 <b>18804</b> 4.33" acrylic dome port For Tokina 10-17 Lens	
			 <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21140</b> Extension ring 40 with lock	 <b>18803</b> 4.33" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	 <b>19530</b> TC1116-Z		 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	 <b>19531</b> TC1224-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 70 with lock	 <b>18801</b> 6" acrylic wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	


WIDE/ZOOM



## N85 Port System for Panasonic & Olympus & BMPCC M4/3 System
































	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Olympus M.Zuiko Digital ED 60mm f2.8 Macro	 <b>36149</b> O60-F		 <b>36620</b> Mini extension ring 20  <b>36630</b> Mini extension ring 30	 <b>36163</b> Macro port 65  <b>36135</b> Macro port 45  <b>36139</b> Macro Port 35	 <b>25101</b> M67 Flip diopter holder for M67 macro ports  <b>25101</b> M67 Flip diopter holder for M67 macro ports  <b>25101</b> M67 Flip diopter holder for M67 macro ports
	LEICA DG MACRO-ELMARIT 45mm F2.8 ASPH. MEGA O.I.S.	 <b>36145</b> P45-F			 <b>36135</b> Macro port 45	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Olympus M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	 <b>36045</b> O1240-Z			 <b>36129</b> 7" acrylic dome port	
STANDARD/ZOOM	Olympus M.ZUIKO DIGITAL ED 12-50mm f/3.5-6.3 EZ	 <b>36147</b> O1250-Z			 <b>36161</b> Macro Port with M77 thread   <b>36137</b> 4" wide angle port	 <b>25103</b> M67 flip diopter holder for M77 macro ports   <b>25105</b> M67 Flip diopter holder for 36137
	Olympus M.ZUIKO DIGITAL 14-42mm F3.5-5.6 II R	 <b>36143</b> O1442-Z			 <b>36136</b> Macro port 56   <b>36137</b> 4" wide angle port	 <b>25101</b> M67 Flip diopter holder for M67 macro ports   <b>25105</b> M67 Flip diopter holder for 36137
	Panasonic LUMIX G X Vario 12-35mm F2.8 ASPH. POWER O.I.S.	 <b>36148</b> P1235-Z   <b>36042</b> P1235-F			 <b>36133</b> 6" wide angle port   <b>36164</b> 6" wide angle port with Focus knob	
	Panasonic LUMIX G 14mm / F2.5 ASPH				 <b>36131</b> 3.5" wide angle port	
	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.	 <b>36141</b> P1442-Z			 <b>36121</b> Flat port 72   <b>36137</b> 4" wide angle port	 <b>25104</b> M67 Flip diopter holder for 36121   <b>25105</b> M67 Flip diopter holder for 36137
	Panasonic LUMIX G X VARIO PZ 14-42mm F3.5-5.6 ASPH. Power O.I.S.	 <b>36146</b> P1442X-PZ			 <b>36139</b> Macro Port 35	 <b>25101</b> M67 Flip diopter holder for M67 macro ports

## N85 Port System for Panasonic & Olympus & BMPCC M4/3 System
































WIDE/ZOOM


## N85 Port System for Sony E-mount System

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Sony SEL30M35 E 30mm F3.5 Macro	 <b>36171</b> SE30-F			 <b>36128</b> Macro port 45 with knob	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Sony A-mount Adaptor [LA-EA1] with SAL30M28 DT 30mmF2.8 Macro SAM				 <b>36135</b> Macro port 45	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Metabones EF Lens to NEX Smart Adapter II with Canon EF-S 60mm f/2.8 Macro USM	 <b>36203</b> EEF60-F			 <b>36202</b> EA30 port	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Carl Zeiss Touit 2.8/50M		 <b>36630</b> Mini extension ring 30		 <b>36203</b> EEF60 port	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Sony SEL16F28 E 16mm F2.8				 <b>36135</b> Macro port 45	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Sony SELP1650 E PZ 16-50mm F3.5-5.6 OSS	 <b>36172</b> SE1650-PZ			 <b>36126</b> E16 pancake port	
	Sony SEL1670Z Vario-Tessar T* E 16-70mm F4 ZA OSS	 <b>36174</b> SE1670-Z			 <b>36125</b> E mount 4.33" fisheye port	
	Sony SEL1855 E 18-55mm F3.5-5.6 OSS	 <b>36122</b> SE1855-Z			 <b>36128</b> Macro port 45 with knob	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
WIDE/ZOOM	Sony SEL1018 E 10-18mm F4	 <b>36173</b> SE1018-Z			 <b>36129</b> 7" acrylic dome port	
	Sony SEL16F28 with Ultra-wide Converter [VCL-ECU1]				 <b>36121</b> Flat port 72	 <b>25104</b> M67 Flip diopter holder for 36121
	Sony SEL16F28 with Fisheye Converter [VCL-ECF1]				 <b>36137</b> 4" wide angle port	 <b>25105</b> M67 Flip diopter holder for 36137
NIKONOS	U/W Nikkor 15 mm f/2.8				 <b>36129</b> 7" acrylic dome port	
	U/W Nikkor 20 mm f/2.8				 <b>36125</b> E mount 4.33" fisheye port	
	U/W Nikkor 28 mm f/3.5		 <b>36201</b> Nikonos to NEX adaptor		 <b>36125</b> E mount 4.33" fisheye port	
	U/W Nikkor 35mm f/2.5					 <b>36317</b> Filter holder for Nikonos adaptor
	U/W Nikkor 80mm f/4					
	Sea & Sea 12mm f/3.5 Fisheye for Nikonos					

## N100 Port System for Sony A7/A7R System


	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Metabones EF Lens to NEX Smart Adapter III with Canon EF 100mm f/2.8L Macro IS USM	 <b>19523</b> C100IS-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob		 <b>18703</b> Macro port 94	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Sony SEL2470Z Vario-Tessar T* FE 24-70mm F4 ZA OSS	 <b>37142</b> SE2470-Z	 <b>37302</b> N100 to N120 port adaptor with lock for SEL2470Z		 <b>18809</b> 180mm optical glass wide angle port	
STANDARD/ZOOM	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	 <b>37141</b> SE2870-Z	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21130</b> Extension ring 30 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	Sony SEL35F28Z Sonnar T* FE 35mm F2.8 ZA				 <b>37121</b> Flat Port 74 with M77 thread	 <b>25103</b> M67 flip diopter holder for M77 macro ports
					 <b>37122</b> 4" wide angle port	
WIDE/ZOOM	Metabones EF Lens to NEX Smart Adapter III with Canon EF 16-35mm f/2.8L II USM	 <b>19527</b> C1635II-Z  <b>19542</b> C1635II-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21270</b> Extension ring 70 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	
	Sony A-mount Adaptor [LA-EA3] w/ SAL1635Z Vario-Sonnar T* 16-35mm F2.8 ZA SSM	 <b>37143</b> EA1635-Z  <b>37144</b> EA1635-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21170</b> Extension ring 70 with lock	 <b>18809</b> 180mm optical glass wide angle port	
FISHEYE/ZOOM	Metabones EF Lens to NEX Smart Adapter III with Canon EF 8-15mm f/4L Fisheye USM	 <b>19537</b> C815-Z  <b>19541</b> C815-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21230</b> Extension ring 30 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	***Remove shade when used on a full frame camera

## N100 Port System for Sony A7/A7R System





















## N85 Port System for Nikon 1 System













## N85 Port System for Canon EF-M System

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	EF-EOS M adaptor with Canon EF-S 60mm f2.8 Macro USM	 <b>36192</b> CMEF60-F			 <b>36182</b> Macro port for CMEF60	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Canon EF-M 18-55mm f/3.5-5.6 IS STM	 <b>36191</b> CM1855-Z			 <b>36181</b> 4" semi-dome port	
STANDARD/ZOOM	Canon EF-M 22mm f/2 STM				 <b>36131</b> 3.5" wide angle port	
WIDE/ZOOM	EF-EOS M adaptor with Canon EF 8-15mm f/4L Fisheye USM	 <b>36193</b> CMEF815-Z			 <b>36183</b> 4.33" dome port for CMEF815	

















































## N120 Port System for PhaseOne System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Phase One Digital 120mm f4.0 Macro MF	 <b>19821</b> P120-F	 <b>18211</b> Compact port base	 <b>18550</b> Compact port extension 50	 <b>18302</b> Compact port 50	
Schneider Kreuznach 80 mm LS f2.8 AF		 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Phase One Digital 28mm f4.5 AF			 <b>21170</b> Extension ring 70 with lock	 <b>18805</b> 10" acylic wide angle port	

## N120 Port System for Hasselblad System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Hasselblad HC Macro 4/120 mm-II		 <b>18211</b> Compact port base	 <b>18550+18550</b> Compact port ext. 50+50	 <b>18302</b> Compact port 50	
Hasselblad HC 2,8/80 mm		 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Hasselblad HC 3,5/50 mm-II			 <b>21140+21140</b> Ext. ring 40+40 with lock	 <b>18801</b> 6" acrylic wide angle port	
Hasselblad HC 3,5/35 mm				 <b>18806</b> 8.5" acrylic dome port for Hasselblad HCD 4/28 mm	
Hasselblad HCD 4/28 mm				 <b>18806</b> 8.5" acrylic dome port for Hasselblad HCD 4/28 mm	
Hasselblad HCD 4.8/24mm				 <b>18806</b> 8.5" acrylic dome port for Hasselblad HCD 4/28 mm	

**N120 Port System for BMCC & Red™ System (Canon mount)**






















LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 10-22mm f/3.5-4.5 USM	 <b>16303</b> RC1022-Z	 <b>16304</b> RC1022-F	 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18808</b> 230mm optical glass fisheye port	
			 <b>21130</b> Extension ring 30 with lock	 <b>23212</b> 9" white balance glass dome port	
Canon EF 16-35mm f/2.8L II USM	 <b>16311</b> RC1635-Z	 <b>16312</b> RC1635-F	 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21140</b> Extension ring 40 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21180</b> Extension ring 80 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21180</b> Extension ring 80 with lock	 <b>18808</b> 230mm optical glass fisheye port	
			 <b>21150</b> Extension ring 50 with lock	 <b>23212</b> 9" white balance glass dome port	
Sigma 8-16mm F4.5-5.6 DC HSM	 <b>16305</b> RSC816-Z	 <b>16306</b> RSC816-F	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21130</b> Extension ring 30 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18808</b> 230mm optical glass fisheye port	
			 <b>21130</b> Extension ring 30 with lock	 <b>23212</b> 9" white balance glass dome port	
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	 <b>16309</b> RTC1116-Z	 <b>16310</b> RTC1116-F	 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18808</b> 230mm optical glass fisheye port	
			 <b>21120</b> Extension ring 20 with lock	 <b>23212</b> 9" white balance glass dome port	

WIDE/ZOOM



**Port System for BMCC & Red™ System (Canon mount)**

FISHEYE / ZOOM

LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF 8-15mm f/4L Fisheye USM	 <b>16301</b> RC815-Z	 <b>16302</b> RC815-F	 <b>21130</b> Extension ring 30 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21130</b> Extension ring 30 with lock	 <b>18803</b> 4.33" acrylic dome port	
			 <b>21130</b> Extension ring 30 with lock	 <b>18808</b> 230mm optical glass fisheye port	
			 <b>21110</b> Extension ring 10 with screws	 <b>23212</b> 9" white balance glass dome port	
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	 <b>16307</b> RTC1017-Z	 <b>16308</b> RTC1017-F		 <b>18804</b> 4.33" acrylic dome port For Tokina 10-17 Lens	
			 <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18803</b> 4.33" acrylic dome port	
				 <b>23211</b> 8.5" white balance acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18808</b> 230mm optical glass fisheye port	
				 <b>23212</b> 9" white balance glass dome port	