

karta portów Nikon F-mount Nauticam N120






































| LENS | GEAR | PORT BASE | EXTENSIONS | LENS PORT | OPTIONAL ACCESSORIES |
|--|---|---|--|--|--|
| Nikon AF Micro 60mm f/2.8D | |  18211 Compact port base | |  18301 Compact port 30 | |
| Nikon AF-S Micro NIKKOR 60mm f/2.8G ED |  19121 N60G-F |  18211 Compact port base | |  18722 Insect eye port adaptor N60 |  INON UFL-MR130 EFS60 <i>(***This is not a NAUTICAM product)</i> |
| Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR |  19129 N85VR-F |  18211 Compact port base | |  18701 Macro port 60 |  25101 M67 Flip diopter holder for M67 macro ports |
| Nikon AF Micro 105mm f/2.8D | |  18211 Compact port base |  18540 Compact port extension 40  18520 Compact port extension 20 |  18301 Compact port 30  18301 Compact port 30 | |
| Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED |  19122 N105VR-F |  18211 Compact port base |  21130 Extension ring 30 with lock |  18301 Compact port 30  18302 Compact port 50 |  25101 M67 Flip diopter holder for M67 macro ports |
| Sigma 50mm F2.8 EX DG Macro | |  18211 Compact port base |  18520 Compact port extension 20 |  18701 Macro port 87  18701 Macro port 60 |  25101 M67 Flip diopter holder for M67 macro ports |
| Sigma 70mm F2.8 EX DG Macro | |  18211 Compact port base |  18550 Compact port extension 50  18530 Compact port extension 30 |  18302 Compact port 50  18303 Compact port 15  18301 Compact port 30 | |
| Sigma 105mm F2.8 EX DG OS HSM Macro |  19147 SN105-F | |  21130 Extension ring 30 with lock |  18302 Compact port 50  18701 Macro port 60 |  25101 M67 Flip diopter holder for M67 macro ports |

Foto Podwodna

karta portów Nikon F-mount Nauticam N120


























































































| LENS | GEAR | PORT BASE | EXTENSIONS | LENS PORT | OPTIONAL ACCESSORIES | |
|----------------------------------|--|---|--|--|--|--|
| STANDARD/ZOOM | Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR |  19123 N1855VR-Z |  18211 Compact port base | |  18301 Compact port 30 | |
| | Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II |  19124 N1855II-Z |  18211 Compact port base | |  18301 Compact port 30 | |
| | Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II |  19144 N1855VRII-Z |  18211 Compact port base | |  18303 Compact port 15 | |
| | Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR |  19139 N2485-Z | |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | Sigma 17-70mm F2.8-4.5 DC Macro HSM |  19132 SN1770-Z | |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | Sigma 17-70mm F2.8-4 DC Macro OS HSM |  19133 SN1770OS-Z | |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | Sigma 17-70mm F2.8-4 DC Macro OS HSM C |  19140 SN1770OSC-Z | |  21140 Extension ring 40 with lock |  18802 8.5" acrylic dome port | |
| Sigma 18-35mm F1.8 DC HSM A |  19146 SN1835f1.8-Z | |  21180 Extension ring 80 with lock  21150+21150 Extension ring 50+50  21180 Extension ring 80 with lock  21180 Extension ring 80 with lock |  18802 8.5" acrylic dome port  18807 250mm optical glass wide angle port  18808 230mm optical glass fisheye port  18809 (*1) 180mm optical glass wide angle port | | |












































Foto Podwodna

karta portów Nikon F-mount Nauticam N120

| LENS | GEAR | PORT BASE | EXTENSIONS | LENS PORT | OPTIONAL ACCESSORIES |
|---|---|-----------|--|--|----------------------|
| Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED |  19135 N1024-Z | _____ |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | | |  21160 Extension ring 60 with lock |  18802 8.5" acrylic dome port | |
| | | |  21170 Extension ring 70 with lock |  18802 8.5" acrylic dome port | |
| Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED |  19125 N1224-Z | _____ |  21180 Extension ring 80 with lock |  18807 (*1) 250mm optical glass wide angle port | |
| | | |  21180 Extension ring 80 with lock |  18808 230mm optical glass fisheye port | |
| | | |  21170 Extension ring 70 with lock |  18802 8.5" acrylic dome port | |
| Nikon AF-S NIKKOR 14-24mm f/2.8G ED |  19131 N1424-Z | _____ |  21190 Extension ring 90 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21190 Extension ring 90 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| | | |  21180 Extension ring 80 with lock |  18809 180mm optical glass wide angle port | |
| | | |  21170 Extension ring 70 with lock |  18802 8.5" acrylic dome port | |
| Nikon AF-S NIKKOR 16-35mm f/4G ED VR |  19138 N1635-Z | _____ |  21270 Extension ring 70 with Focus knob |  18802 8.5" acrylic dome port | |
| | | |  21170 Extension ring 70 with lock |  18802 8.5" acrylic dome port | |
| | | |  21170 Extension ring 70 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21170 Extension ring 70 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| Nikon AF-S 17-35mm f/2.8D IF-ED |  19130 N1735-Z | _____ |  21170 Extension ring 70 with lock |  18809 180mm optical glass wide angle port | |
| | | |  21160 Extension ring 60 with lock |  18802 8.5" acrylic dome port | |
| | | |  21160 Extension ring 60 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21160 Extension ring 60 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED |  19141 N1835-Z | _____ |  21160 Extension ring 60 with lock |  18809 180mm optical glass wide angle port | |
| | | |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | | |  21150 Extension ring 50 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21150 Extension ring 50 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| Sigma 8-16mm F4.5-5.6 DC HSM |  19136 SN816-Z | _____ |  21140 Extension ring 40 with lock |  18809 180mm optical glass wide angle port | |
| | | |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | | |  21150 Extension ring 50 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21150 Extension ring 50 with lock |  18808 (*1) 230mm optical glass fisheye port | |

WIDE/ZOOM























karta portów Nikon F-mount Nauticam N120

| LENS | GEAR | PORT BASE | EXTENSIONS | LENS PORT | OPTIONAL ACCESSORIES |
|---|--|-----------|--|--|----------------------|
| Sigma 10-20mm F4-5.6 EX DC HSM |  19126 SN1020-Z | --- |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | | |  21150 Extension ring 50 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21150 Extension ring 50 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| | | |  21140 Extension ring 40 with lock |  18809 180mm optical glass wide angle port | |
| Sigma 12-24mm F4 DG HSM Art |  19149 SN1224A-Z | --- |  21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i> |  18812 (*1) 230mm optical glass fisheye port II | |
| | | |  21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i> |  18815 250mm optical glass wide angle port II | |
| Sigma 20mm F1.4 DG HSM A | --- | --- |  21170 Extension ring 70 with lock |  18802 8.5" acrylic dome port | |
| | | |  21170 Extension ring 70 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21170 Extension ring 70 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| | | |  21160 Extension ring 60 with lock |  18809 180mm optical glass wide angle port | |
| Tokina AT-X 116 PRO DX AF 11-16mm f/2.8 |  19128 TN116-Z | --- |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | | |  21160 Extension ring 60 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21160 Extension ring 60 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| | | |  21150 Extension ring 50 with lock |  18809 180mm optical glass wide angle port | |
| Tokina AT-X 124 AF PRO DX AF 12-24mm f/4 |  19134 TN1224-Z | --- |  21150 Extension ring 50 with lock |  18802 8.5" acrylic dome port | |
| | | |  21160 Extension ring 60 with lock |  18807 250mm optical glass wide angle port | |
| | | |  21160 Extension ring 60 with lock |  18808 (*1) 230mm optical glass fisheye port | |
| | | |  21160 Extension ring 60 with lock |  18809 180mm optical glass wide angle port | |
| Zeiss Distagon T* 2,8/15 ZF.2 |  19145 ZN15-F | --- |  21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i> |  18812 230mm optical glass fisheye port II | |

WIDE/ZOOM

Foto Podwodna

karta portów Nikon F-mount Nauticam N120

| LENS | GEAR | PORT BASE | EXTENSIONS | LENS PORT | OPTIONAL ACCESSORIES |
|---|--|-----------|---|---|---|
| Nikon AF-S Fisheye NIKKOR 8-15mm f/3.5-4.5E ED |  19150 N815-Z | |  21120 Extension ring 20 with lock |  18802 8.5" acrylic dome port | ***Removable shade compatible with 8mm on a full frame camera |
| | | |  21130 Extension ring 30 with lock |  18803 4.33" acrylic dome port | ***NOT compatible with 8mm on a full frame camera |
| | | |  21120 Extension ring 20 with lock |  18812 230mm optical glass fisheye port | ***Removable shade compatible with 8mm on a full frame camera |
| | | |  21120 Extension ring 20 with lock |  18811 (*1) N120 140mm optical glass fisheye port with removable shade | ***Removable shade compatible with 8mm on a full frame camera |
| Nikon AF DX Fisheye 10.5mm f/2.8G ED |  19137 N10.5-F | |  21110 Extension ring 10 with screws |  18802 8.5" acrylic dome port | |
| | | | |  18803 4.33" acrylic dome port | |
| | | | |  18808 230mm optical glass fisheye port | |
| Nikon AF Fisheye 16mm f/2.8D | | | |  18810 (*1) N120 140mm optical glass fisheye port | |
| | | | |  18802 8.5" acrylic dome port | |
| Sigma 10mm F2.8 EX DC HSM Fisheye | | |  21110 Extension ring 10 with screws |  18802 8.5" acrylic dome port | |
| Sigma 15mm F2.8 EX DG Diagonal Fisheye |  19143 SN15-F | | |  18802 8.5" acrylic dome port | |
| | | | |  18808 230mm optical glass fisheye port | |
| | | | |  18810 (*1) N120 140mm optical glass fisheye port | |

FISHEYE/ZOOM

Foto Podwodna

karta portów Nikon F-mount Nauticam N120


















| LENS | GEAR | PORT BASE | EXTENSIONS | LENS PORT | OPTIONAL ACCESSORIES |
|--------------|---|--|--|---|----------------------|
| FISHEYE/ZOOM | Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5 |  19127 TN1017-Z | <ul style="list-style-type: none"> <li style="margin-bottom: 5px;"> 21120 Extension ring 20 with lock <li style="margin-bottom: 5px;"> 21120 Extension ring 20 with lock <li style="margin-bottom: 5px;"> 21110 Extension ring 10 with screws | <ul style="list-style-type: none"> <li style="margin-bottom: 5px;"> 18804 4.33" acrylic dome port For Tokina AT-X 107 AF DX Fisheye <li style="margin-bottom: 5px;"> 18802 8.5" acrylic dome port <li style="margin-bottom: 5px;"> 18808 230mm optical glass fisheye port <li style="margin-bottom: 5px;"> 18810 (*1) N120 140mm optical glass fisheye port | |
| | Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX |  19227 TN1017-Z+1.4 | <ul style="list-style-type: none"> <li style="margin-bottom: 5px;"> 21120 Extension ring 20 with lock <li style="margin-bottom: 5px;"> 21140 Extension ring 40 with lock <li style="margin-bottom: 5px;"> 21140 Extension ring 40 with lock <li style="margin-bottom: 5px;"> 21130 Extension ring 30 with lock | <ul style="list-style-type: none"> <li style="margin-bottom: 5px;"> 18804 4.33" acrylic dome port For Tokina AT-X 107 AF DX Fisheye <li style="margin-bottom: 5px;"> 18802 8.5" acrylic dome port <li style="margin-bottom: 5px;"> 18808 230mm optical glass fisheye port <li style="margin-bottom: 5px;"> 18810 (*1) N120 140mm optical glass fisheye port | |

Foto Podwodna